

TECNALIA



CERTIFIED
PRODUCT

01.32/15

quality label TECNALIA

office furniture

certificate

APPLICANT

GRUPO FORMA 5, S.L.U.

C/ Acueducto, 12-14 - Pol. Ind. Carretera de la Isla
41700 DOS HERMANAS (Sevilla) SPAIN
Tel.: + 34 954 931 980
www.forma5.com

CERTIFICATE NO.

0103201

PRODUCT RANGE CERTIFIED

2K8

CERTIFICATION SCOPE

OFFICE CHAIRS

MAIN CERTIFIED FEATURES

| | PROCEDIMIENTO ENSAYO | ESPECIFICACIÓN |
|---------------|-----------------------------------------------------------------------------------|----------------|
| OFFICE CHAIRS | EN 1335-1:2000 | EN 1335-1:2000 |
| | EN 1335-2:2009 | EN 1335-2:2009 |
| | EN 1335-3:2009 | EN 1335-3:2009 |
| MATERIALS | Technical guidelines set by TECNALIA and detailed in the technical sheet attached | |

CERTIFICATION SYSTEM USED

- Initial inspection of manufacturer's production and control system
- Initial test of type of product
- Periodic observation, supervision and assessment of quality system
- Periodical tests of raw materials using samples taken in the factory
- Periodical tests of samples of finished products

The tests referred to in this certificate were carried out at TECNALIA's laboratories, accredited by ENAC (The National Accreditation Office) as set out in the following regulation (among others): no. 4/LE024.

DATE EFFECTIVE: 19.06.2015
DATE OF LAST MODIFICATION: 27.06.2017
VALID UNTIL: 24.07.2020
Serie n: 010320101-E

The Certificate shall remain in effect until notification to the contrary is given..

Carlos Nazabal Alsua
Manager

tecnalia
certificación

Area Anardi, nº 5
20730 AZPEITIA (Guipúzcoa)
Tel.: +34 678 860 822

This certificate only covers products whose commercial references, materials and technical data are specified on the technical sheet supplied by the applicant.
This certificate is not valid without the corresponding technical data sheet attached to it.
This certificate and the technical sheet attached may be modified, temporarily suspended and withdrawn.
El estado de vigencia puede confirmarse a través del código QR.

