



Environmental Data Sheet

Eco-Conscious Products

afe and environmentally friendly	products	A harmony of design, ecology, and economy		
kamura's environmental priorities in prod sess-ment ensure the delivery of safe, eco-co at give consumers peace of mind.	uct design and	Okamura reduces raw material inputs during manufacture b analyzing finite elements with CAE and adopting othe leading-edge methods. We harmonize design, ecology, an economy.		
Ceeping clean air he furniture is a critical part of any office space actor that motivates Okamura to protect the air y positively using raw materials and paints free compounds (VOCs).	r quality of offices	Designs for easier reuse and recycling after use Okamura designs products that can be easily broken down into homogeneous materials to facilitate the reuse of parts recovered from post-use products and material recycling. The materials used in major components are clearly identified.		
eveloping eco-conscious products				
Customer needs Social requirements		Regulations Industrial standards		
Motto	Our resp	onsibility ronmental vision	Action principles	
"Quality pays for itself"		AVE 2010	The 3Rs (Reduce, Reuse, and Recycle)	
Product planning assessment	Product a	ssessment	Eco-conscious production	
 Functions, performance, design Product safety Environmental consciousness Price Responses to regulations 	 Material sel Efficiency in Energy efficiency Ease of disa Recyclability 	n material use ciency sssembly	 Conserving energy Mitigating harmful emissions Zero emissions 	
	Requirements ir	n product design		
 Conserving resources and reducing volume Using recycled materials Reusing materials and product parts 	• Sound	f recycling air quality ct safety	 Reduced packaging materials Information disclosure 	
Design for the environmen	ht	Product testing		
a simulated a elements, bespea efforts behind Oka designs. Okamura optimize the us minimizing the a used without sacrif	e, a design based on inalysis of finite aks the outstanding amura's eco-conscious 's product developers se of resources by mounts of materials ficing the outstanding , and safety of the	 Measuring the volumes of VOCs emitted Testing durability and load bearing strength Testing stability Testing for transport Measuring the volumes of specific harmful substances 		

okamura

Wood quality

Resins

Steel

Materials & Recycling

Total control of every material used

Okamura collects thorough information on the materials, surface finishing methods, and other aspects of the parts used in its products, from the main components of its office equipment to individual screws. Detailed data on materials are provided upon request.

Recycled materials: 4 %

Recycled materials are used in resins and wood quality parts. These materials make up about 47% by product weight.

Recyclability:

jong firmly in mind during the

With future recyclability firmly in mind during the design stage, we use homogeneous materials as much as possible. After use, our products can be collected and disassembled into homogeneous materials.

Wood

In deference to the ecology of the earth's forests, Okamura does not use wood from illegally felled trees. We efficiently make use of wood only from properly managed forests. We have stipulated a wood-use policy that promotes the preservation and sustainment of the diversity of life on our planet, and are actively involved in expanding the use of sustainably harvested wood and wood from certified forests.



Resins

ABS resins is used to ensure recycling in the future. Resins recovered after use are reprocessed and reused by resin manufactures. Okamura is an active user of recycled resins for its products.

Steel

Steelmakers use recovered steel to produce new steel. Steelmaking with recovered steel consumes 75% less energy than steelmaking from iron ore.



Indicating materials

Okamura indicates the materials used to facilitate recycling after use.



okamura

Reducing Chemicals

GREENGUARD certificated

GREENGUARD is an indoor environment air quality standards used to certify products with low chemical emissions for the protection of interior environments. Certification is granted only to products that pass the pollutant emissions testing conducted in process-controlled dynamic environmental chambers following test protocols developed by Air Quality Sciences, Inc. The test protocols comply with ASTM, U.S. EPA, LEED, and BIFMA standards and requirements. Flaptor received GREENGUARD certification in March 2012.

Reducing VOCs to safeguard health

Okamura minimizes the use of formaldehyde, toluene, xylene, and other VOCs, which can result in sick building syndrome and allergic dermatitis. Environmental load can be reduced while achieving outstanding comfort and strength.



GREENGUARD Emission Criteria

Emission Types	Measure	
Individual VOCs	<0.1TLV	
Formaldehyde	<0.025ppm (<0.03mg/m ³)	
4-phenylcyclohexene	<0.0033mg/m ³	
Total VOCs	<0.25mg/m ³	
Total aldehydes	<0.05ppm	


Minimizing environmental load

Amid calls to limit the use of the earth's resources, the reuse and recycling of post-use products are now global agendas. To ensure safe and sure progress in recycling, manufacturers must limit the use of substances with environmental loads. The latest round of enhancements in the regulatory framework started with the European Parliament's Restriction of Hazardous Substances (RoHS) directive. Though office furniture is not currently included among the targets of this regime, Okamura is working to reduce substances with environmental impacts in response to customer demand and in anticipation of future legislation.



LEED Credit Summary

Program	Category	Item		Contribution	Point of contribution
LEED 2009 for Commercial Interiors	Materials & Resources	MR 3.2	Resource Reuse	This product (Flaptor) is designed to be refurbished and easy replacement. And it can be used any longer by having proper maintenance. Product can contribute to the this point by reusing. In Japan, Okamura has a service network by its subsidary, Okamura Support and Service.	1
		MR 4	Recycled content	55.7% (1/2Pre-Consumer: 6.4%, Post-Consumer: 52.5%)	1-2
		MR 5	Regional materials	Assembled in Yokosuka town, Kanagawa, Japan, or Ionia, Michigan, U.S.A	1-2
	Indoor Environmental Quality	ID 1	Innovation in design	High percentage of recycled content.	1-5
LEED 2009 for New Construction and Major Renovations	Materials & Resources	MR 3	Material Reuse	This product (Flaptor) is designed to be refurbished and easy replacement. And it can be used any longer by having proper maintenance. Product can contribute to the this point by reusing. In Japan, Okamura has a service network by its subsidary, Okamura Support and Service.	1-2
		MR 4	Recycled content	55.7% (1/2Pre-Consumer: 6.4%, Post-Consumer: 52.5%)	1-2
LEED 2009 for Existing Buildings, Operations and Maintenance	Materials & Resources	MR 1	Sustainable Purchasing -Ongoing Consumables	55.7% (1/2Pre-Consumer: 6.4%, Post-Consumer: 52.5%)	1
		MR 2	Sustainable Purchasing -Durable Goods		1-2



Visit the Okamura website for the latest updates on Okamura products. http://www.okamura.jp/