



Environmental Data Sheet

okamura


# **Eco-Conscious Products**

01

Safe and environmentally friendly Okamura's environmental priorities in proc assessment ensure the delivery of safe, eco-co that give consumers peace of mind.	uct design and	A harmony of design, ecology, and economy Okamura reduces raw material inputs during manufacture b analyzing finite elements with CAE and adopting othe leading-edge methods. We harmonize design, ecology, an economy.		
Keeping clean air The furniture is a critical part of any office spac factor that motivates Okamura to protect the ai		Designs for easier reuse and recycling after use Okamura designs products that can be easily broken down int homogeneous materials to facilitate the reuse of parts recovere from post-use products and material recycling. The materials use in major components are clearly identified.		
by positively using raw materials and paints free compounds (VOCs).				
Developing eco-conscious products				
Customer needs Social requirements		Regulations Industrial standards		
		-		
	Our resp	onsibility		
Motto "Quality pays for itself"	Long-term environmental vision GREEN WAVE 2010		Action principles The 3Rs (Reduce, Reuse, and Recycle)	
Product planning assessment	Product assessment		Eco-conscious production	
<ul> <li>Functions, performance, design</li> <li>Product safety</li> <li>Environmental consciousness</li> <li>Price</li> </ul>	<ul> <li>Material selection</li> <li>Efficiency in material use</li> <li>Energy efficiency</li> <li>Ease of disassembly</li> </ul>		<ul> <li>Conserving energy</li> <li>Mitigating harmful emissions</li> <li>Zero emissions</li> </ul>	
Responses to regulations	Recyclability	у		
Conserving resources and reducing volume     Ease or		recycling • Reduced packaging materials air quality • Information disclosure		
Reusing materials and product parts	• Produc	ct safety		
Design for the environment		Product testing		
Grata's resinous back shell, simulated analysis of finite		<ul> <li>Measuring the volumes of VOCs emitted</li> <li>Testing durability and load bearing strength</li> <li>Testing stability</li> <li>Testing for transport</li> <li>Measuring the volumes of specific harmful substances</li> </ul>		

## okamura

# **Materials & Recycling**



## Total control of every material used

Okamura collects thorough information on the materials, surface finishing methods, and other aspects of the parts used in its products, from the main components of its office equipment to individual screws. Detailed data on materials are provided upon request.

# Recycled materials: **54%**

Recycled materials are used in aluminum and resin parts. These materials make up about 54% by product weight. (Figure is for Swivel models.)

## Recyclability:



With future recyclability firmly in mind during the design stage, we use homogeneous materials as much as possible. After use, our products can be collected and disassembled into homogeneous materials.

#### Resins

Polyamide resin is used to ensure recycling in the future. Resins recovered after use are reprocessed and reused by resin manufactures. Okamura is an active user of recycled resins for its products.



#### Aluminum

Recovered aluminum is processed into a recycled form by alloy manufacturers and later into aluminum. Energy consumption can be reduced by 97% by generating recycled metal from recovered aluminum rather than creating aluminum from its source material bauxite.



Steelmakers use recovered steel to produce new steel. Steelmaking with recovered steel consumes 75% less energy than steelmaking from iron ore.



**Indicating materials** Okamura indicates the materials used to facilitate recycling after use.



## okamura

# **Reducing Chemicals**

#### **GREENGUARD** certificated


GREENGUARD is an indoor environment air quality standards used to certify products with low chemical emissions for the protection of interior environments. Certification is granted only to products that pass the pollutant emissions testing conducted in process-controlled dynamic environmental chambers following test protocols developed by Air Quality Sciences, Inc. The test protocols comply with ASTM, U.S. EPA, LEED, and BIFMA standards and requirements. Grata received GREENGUARD certification in December 2007.

## Design that maximizes the possibility of a single material. Lifecycle design for environment-friendly products.

Grata's flexible grid back adopts an unique function with multiple slots in a single resin shell. While the outside provides structural support, the inner surface responds flexibly to movements and shifts in posture. By providing two functions in a single material, high production efficiency as well as easy disassembly and high recyclability were achieved. Adhesives, the probable cause of 'sick building syndrome' and allergic dermatitis, are not used in this design. Thus emissions of VOCs such as formaldehyde, toluene and xylene are minimized or completely eliminated.

### Minimizing environmental load

Amid calls to limit the use of the earth's resources, the reuse and recycling of post-use products are now a global agenda. To ensure safe and sure progress in recycling, manufacturers must limit the use of substances with environmental loads. The latest round of enhancements in the regulatory framework started with the European Parliament's Restriction of Hazardous Substances (RoHS) directive. Though office furniture is not currently included among the targets of this regime, Okamura is working to reduce substances with environmental impacts in response to customer demand and in anticipation of future legislation.



\*1 Standard values based on the RoHS directive put into effect in European Union member states in July 2006 to restrict the use of hazardous substances in electronic and electrical equipment. These standard values contain exemptions set in the RoHS directive.



### **GREENGUARD** Emission Criteria

Emission Types	Measure
Individual VOCs	<0.1TLV
Formaldehyde	<0.025ppm (<0.03mg/m³)
4-phenylcyclohexene	<0.0033mg/m <sup>3</sup>
Total VOCs	<0.25mg/m³
Total aldehydes	<0.05ppm



# 04

# **LEED Credit Summary**

Program	Category Item		Item	Contribution	Point of contribution
LEED 2009 for Commercial Interiors	Materials & Resources	Materials Reuse MR 3.2 –Furniture and Furnishings		This product (Grata) is designed to be refurbished and easy replacement. And it can be used any longer by having proper maintenance. Product can contribute to the this point by reusing. In Japan, Okamura has a service network by its subsidiary, Okamura Support and Service.	1
		MR 4	Recycled content	Swivel type – 51.6% (1/2 Pre-Consumer: 20.4%, Post-Consumer: 41.4%) Nesting type – 28.9% (1/2 Pre-Consumer: 33%, Post-Consumer: 12.4%)	1-2
		MR 5	Regional materials	Assembled in Yokosuka city, Kanagawa, Japan. Please contact us in case of the delivery outside of Japan.	1-2
	Indoor Environmental Quality	IEQ 4.5	Low emitting materials, System Furniture and Seating	Greenguard certified	1
	Innovation & Design	ID 1	Innovation in design	High percentage of recycled content.	1-5
LEED 2009 for New Construction and Major Renovations	Materials & Resources	MR 3	Material Reuse	This product (Grata) is designed to be refurbished and easy replacement. And it can be used any longer by having proper maintenance. Product can contribute to the this point by reusing. In Japan, Okamura has a service network by its subsidiary, Okamura Support and Service.	1-2
		MR 4	Recycled Content	Swivel type – 51.6% (1/2 Pre-Consumer: 20.4%, Post-Consumer: 41.4%) Nesting type – 28.9% (1/2 Pre-Consumer: 33%, Post-Consumer: 12.4%)	1-2
	Innovation & Design	ID 1	Innovation in design	Greenguard certified	1-5
LEED 2009 for Existing Buildings, Operations and Maintenance	Materials & Resources	MR 1	Sustainable Purchasing –Ongoing Consumables	Swivel type – 51.6% (1/2 Pre-Consumer: 20.4%, Post-Consumer: 41.4%)	1
	MR 2	MR 2	Sustainable Purchasing –Durable Goods	Nesting type – 28.9% (1/2 Pre-Consumer: 33%, Post-Consumer: 12.4%)	1-2



For inquiries and consultation requests:

Visit the Okamura website for the latest updates on Okamura products. http://www.okamura.jp/

