

m o o o i[®]




Heracleum The Small Big O

To coronate this spring's design season, Heracleum's festive foliage crown turns into a more intimate embrace.


Designer	Bertjan Pot
Year of design	2014
Material	Metal wire frame, poly carbonate lenses, ultra thin suspension wire.

m o o o i[®]

Ø 160cm | 63"



36cm | 14,2"



m o o o i[®]

colours



Nickel



Copper

m o o o i[®]

technical (cULus)



Dimmable with mains voltage dimmer (dimmer for incandescent, halogen)

Please make sure to use a dimmer rated for a low power luminaire.

Input voltage of 110-127V~60Hz AC

Voltage on lamp < 5V DC (actual lamp surface functions as conductor!)



ABS canopy in matching colour
Nickel or Copper, cable length 4M
| 13.1 ft (transparent)



Power supply included in canopy.

Recommended dimmer specs

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs:

Transformer type: Electronic Low Voltage (ELV)

Load type: Capacitive load (C-Type)

Dimmer type: Trailing edge / Reverse phase, 1-10V dimmable (please make sure the right provisions are made for 0-10V/1-10V dimming)

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

For more information about the dimmer/driver specs

[Click here](#)